

# GOODI



石家庄谷迪商贸有限公司

Shijiazhuang Goodi Trade Co.,Ltd.

石家庄谷迪商贸有限公司  
Shijiazhuang Goodi Trade Co.,Ltd.

**Add:** Fangda Technology Park, NO.266 Tianshan Street,  
Yuhua Zone, Shijiazhuang City, Hebei State, China.

**Tel:** 008615127182812, 008613383019302, 008613383015702

**Email:** info@goodijx.com

**Web:** www.tapemachinery.com



专注包装设备 20 年

Professional for package machine 20 years



We chat



Whatsapp



石家庄谷迪商贸有限公司是一家专业生产胶带生产线、分切机、复卷机、切台、包装机、拉伸膜机器、纸管机等产品的出口商和制造商。我们与自己的供应商合作，可以很好地控制我们的产品质量，并确保产品种类齐全，价格有竞争力。

公司拥有一批从事机械行业多年的专业资深销售代表。因此，我们有信心满足您对产品的专业知识和服务的需求。我们能够提供适合你们市场的产品，同时，我们的团队成员在国际贸易方面经验丰富，精通国际贸易和物流的全过程。这将有助于提高我们的业务进程，并避免额外的成本。总而言之，凭借我们的经验和知识，我们可以为您提供最好的产品和最具竞争力的价格。

我们的宗旨是：一切从客户需求出发，真诚合作，坚持品质至上，客户至上的原则。

精良的做工，先进的技术，优质完善的售后服务，深得新老客户赞誉。



Shijiazhuang Goodi Trade co.,ltd is a professional exporter and manufacturer for tape making machine line, slitting machine, rewinding machine, cutting machine, package machine, stretch film machine, paper core machine etc with competitive price. We have co-operated with our own suppliers, so we can have a very good control on the quality of our products, as well as ensure full range of products and competitive price.


Our company is equipped with a group of professional and senior sales representatives, who have worked in machines field for many years. So we are confident that we could satisfy you with our know-how on the products and our professional service . We are able to provide the appropriate products for your market. At the same time, all the members in our team are experienced international trader with good master on the whole process of international trade and logistic. The smooth process will help to enhance your business and avoid extra cost. In one word, with our experience and knowledge, we can offer you the best product with most competitive price.

Our tenet is that all from customers needs, sincere cooperation, keep the principle of quality first, customer first. Excellent workmanship, advanced technology, perfect before and after-sale service , won high praise from our old and new customers.






客户合影  
Group photo of customers



生产车间  
Production workshop



# 目录 contents

- GD-660 六轴全自动分条机 6  
GD-660 Six shafts fully automatic tape slitting machine
- GD-600 四轴全自动分条机 7  
GD-600 Four shafts full automatic tape slitting machine
- GD-220 全自动 8 轴线束胶带分条机 8  
GD-220 Fully automatic 8 shafts wire harness electrical tape slitting machine
- GD-600L 半自动分条机 9  
GD-600L Semi automatic tape slitting machine
- GD-211 半自动分条机 10  
GD-211 Semi automatic tape slitting machine
- GD-211C 超透明分离式分条机 11  
GD-211C BOPP transparent tape slitting rewinding machine
- GD-212 高速分离式分条机 12  
GD-212 High speed slitting machine
- GD-210 BOPP 分条机 13  
GD-210 BOPP tape slitting machine
- GD-215 医用胶带分条机 14  
GD-215 Medical tape slitting machine
- GD-101 穿管机 15  
GD-101 Paper core loader
- GD-102 切管机 15  
GD-102 Paper core cutting machine
- GD-103 小复卷机 15  
GD-103 Small rewinding machine
- GD-208 四轴全自动切管机 16  
GD-208 Four shafts full automatic paper core cutting machine

- GD-209 八轴全自动切管机 17  
GD-209 Eight shafts automatic paper core cutting machine
- GD-801 全自动复卷机 18  
GD-801 Fully automatic tape rewinding machine
- GD-802 双轴复卷机 19  
GD-802 Double shafts rewinding machine
- GD-803 双轴复卷机 20  
GD-803 Double shafts rewinding machine
- GD-806 单轴复卷机 21  
GD-806 Single shaft rewinding machine
- GD-808 无轴复卷机 22  
GD-808 Medical tape rewinding machine
- GD-710 十轴切卷机 23  
GD-710 Ten shafts tape cutting machine
- GD-706 六轴切卷机 24  
GD-706 Six shafts tape cutting machine
- GD-709 四轴切卷机 25  
GD-709 Four shafts tape cutting machine
- GD-708 三轴切卷机 26  
GD-708 Three shafts tape cutting machine
- GD-703 双轴切卷机 27  
GD-703 Double shafts tape cutting machine
- GD-701 单轴切卷机 28  
GD-701 Single shaft tape cutting machine
- GD-901 半自动柱状胶带包装机 29  
GD-901 Semi-automatic tape package machine

- GD-902 全自动柱状包装机 30  
GD-902 Full automatic tape package machine
- GD-903 BOPP 平包包装机 31  
GD-903 BOPP flat package machine
- GD-905 PVC 胶带包装机 32  
GD-905 PVC tape package machine
- GD-910 全自动拉伸膜复卷机 33  
GD-910 Full automatic stretch film rewinding machine
- GD-1600B 全自动切纸机 34  
GD-1600B Automatic paper slitting machine
- GD-100 二机头数控纸管机 35  
GD-100 Two heads CNC paper tube making machine
- GD-200 四机头数控纸管机 36  
GD-200 Four heads CNC paper tube making machine
- GD-201 单轴数控精切机 37  
GD-201 Single shaft CNC paper tube cutting machine
- GD-601 单卷 A4 纸分切机 38  
Single roll A4 paper cutting machine
- GD-602 双卷 A4 纸分切机 39  
GD-602 Double roll A4 paper cutting machine
- GD-810 多功能分切复卷机 40  
GD-810 Multifunctional slitting rewinding machine
- GD-830 无粘性分切机 41  
GD-830 Non adhesive paper/film slitting rewinding machine



# contents

# GD-660 六轴全自动分条机

GD-660 Six shafts fully automatic tape slitting machine



- ① 收卷放卷为自动张力  
Automatic tension control for unwinding and rewinding
- ② 不停机贴标, 自动切断及抚平  
Non-stop automatic label posting, automatic cutting and smoothing.
- ③ 自动排管送轴, 机械手自动装卸轴  
Automatic arrange paper core and convey shafts, automatic loading and unloading shaft by mechanical arm.
- ④ 选配套件 (自动包装机、全自动切管机)  
Optional part (automatic packaging machine, automatic paper core cutting machine)

主要技术参数		Main technical parameters	
机器宽度	1.3M 1.6M	Machine width	1.3M 1.6M
最大放卷直径	800mm	Max unwinding diameter	800mm
最大收卷直径	6 轴交换 80-200mm	Max rewinding diameter	6 shafts exchange :80-200mm
机械速度	0-300M/min	Machine speed	0-300M/min
刀具	0.2×22×60mm	Razor	0.2×22×60mm
整机功率	20KW	Main motor	20KW



# GD-600 四轴全自动分条机

GD-600 Four shafts full automatic tape slitting machine



## 用途 Purpose:

适用于单规格 OPP 超透胶带大批量生产。

Apply to slitting and rewinding fixed size of transparent bopp tape with huge production.

- ① 收卷放卷为自动张力  
Automatic tension control for unwinding and rewinding
- ② 不停机贴标, 自动切断及抚平  
Non-stop automatic label posting, automatic cutting and smoothing.
- ③ 自动排管送轴, 机械手自动装卸轴  
Automatic arrange paper core and convey shafts, automatic loading and unloading shaft by mechanical arm.
- ④ 选配套件 (自动包装机、全自动切管机)  
Optional part (automatic packaging machine, automatic paper core cutting machine)

主要技术参数		Main technical parameters	
机器宽度	1.3M 1.6M	Machine width	1.3M 1.6M
最大放卷直径	700mm	Max unwinding diameter	700mm
最大收卷直径	4 轴交换 80-150mm	Max rewinding diameter	4 shafts exchange :80-150mm
机械速度	0-240M/min	Machine speed	0-240M/min
刀具	0.2×22×60mm	Razor	0.2×22×60mm
整机功率	17KW	Main motor	17 KW
机器尺寸 (1.3m)	7100x4200x1900mm	Machine dimensions (1.3m)	7100x4200x1900mm
净重量	约 6500KG	Net weight	About 6500KG

## GD-220 全自动 8 轴线束胶带分条机

GD-220 Fully automatic 8 shafts wire harness electrical tape slitting machine



### 用途 Purpose:

适用于线束胶带的分切复卷。


Apply to slitting and rewinding wire harness electrical tape.

- ① 收卷放卷为自动张力  
Automatic tension control for unwinding and rewinding
- ② 不停机贴标，自动切断及抚平  
Non-stop automatic label posting、automatic cutting and smoothing.
- ③ 自动排管送轴，机械手自动装卸轴  
Automatic arrange paper core and convey shafts, automatic loading and unloading shaft by mechanical arm.
- ④ 选配套件（自动包装机、全自动切管机）  
Optional part (automatic packaging machine, automatic paper core cutting machine)

主要技术参数		Main technical parameters	
机器宽度	1.3M	Machine width	1.3M
最大放卷直径	800mm	Max unwinding diameter	800mm
最大收卷直径	8 轴交换 30-100mm	Max rewinding diameter	8 shafts exchange :30-100mm
纸管内径	38mm	paper core inner diameter	38mm
机械速度	0-100M/min	Machine speed	0-100M/min
刀具	0.2×22×60mm	Razor	0.2×22×60mm
整机功率	20KW	Main motor	20KW

## GD-600L 半自动分条机

GD-600L Semi automatic tape slitting machine



### 用途 Purpose:

适用于超透明 bopp 封箱胶粘带 / 玻璃纸胶带的分条。

Apply to slitting super clear bopp tape/common bopp tape/fiberglass paper tape.

- ① 收卷放卷为自动张力  
Automatic tension control for unwinding and rewinding
- ② 不停机贴标，自动切断及抚平  
Non-stop automatic label posting、automatic cutting and smoothing.
- ③ 自动排管送轴，人工装卸轴  
Automatic arrange paper core and convey shafts, manual loading and unloading shafts.

主要技术参数		Main technical parameters	
机器宽度	1.3M 1.6M	Machine width	1.3M 1.6M
最大放卷直径	700mm	Max unwinding diameter	700mm
最大收卷直径	4 轴交换 80-150mm	Max rewinding diameter	4 shafts exchange :80-150mm
机械速度	0-240M/min	Machine speed	0-240M/min
刀具	0.2×22×60mm	Razor	0.2×22×60mm
整机功率	10KW	Main motor	10KW
机器尺寸 (1.3m)	7000×4200×1750mm	Machine dimensions (1.3m)	7000×4200x×1750mm
净重量	约 5000KG	Net weight	About 5000KG



## GD-211 半自动分条机

GD-211 Semi automatic tape slitting machine



### 用途 Purpose:

适用于超透明 bopp 封箱胶粘带 / 玻璃纸胶带的分条。


Apply to slitting super clear bopp tape/common bopp tape/fiberglass paper tape.

- ① 收卷放卷为自动张力  
Automatic tension control for unwinding and rewinding
- ② 停机贴标, 手动人工切断  
Automatic label posting、manual cutting
- ③ 自动排管送轴, 人工装卸轴  
Automatic arrange paper core and convey shafts, manual loading and unloading shafts

主要技术参数		Main technical parameters	
机器宽度	1.3M 1.6M	Machine width	1.3M 1.6M
最大放卷直径	700mm	Max unwinding diameter	700mm
最大收卷直径	4 轴交换 80-200mm	Max rewinding diameter	4 shafts exchange :80-200mm
机械速度	0-210M/min	Machine speed	0-210M/min
刀具	0.2×22×66mm	Razor	0.2×22×66mm
整机功率	8KW	Main motor	8KW
机器尺寸 (1.3m)	6800×3000×1600mm	Machine dimensions (1.3m)	6800×3000×1600mm
净重量	约 3000KG	Net weight	About 3000KG

## GD-211C BOPP 超透胶带分条机

GD-211C BOPP transparent tape slitting rewinding machine



### 用途 Purpose:

适用于超透明 bopp 封箱胶粘带 / 玻璃纸胶带的分条。

Apply to slitting supper clear bopp tape/common bopp tape/fiberglass paper tape.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
最大放料直径	800mm	Max unwinding diameter	800mm
最小分切宽度	12mm	Min slitting width	12mm
最大收卷直径	(3" 轴)4 轴交换 150-200mm 2 轴交换 320mm	Max rewinding diameter	(3" shaft) 4 shafts exchange: 150-200mm, 2 shafts exchange: 320mm
机械速度	0-200M/min	Machine speed	0-200M/min
刀具	0.2×22×60mm	Razor	0.2×22×60mm
整机功率	5HP	Main motor	5HP
机器尺寸 (1.3m)	2800×2000×1600mm	Machine dimensions (1.3m)	2800×2000×1600mm
净重量	约 1800KG	Net weight	About 1800KG

## GD-212 高速分离式分条机

GD-212 Single shaft rewinding Machine



### 用途 Purpose:

适用于欧美日韩（低噪音环保型）大卷径 BOPP 封箱胶粘带 / 玻璃纸胶带的分条。

Apply to slitting big diameter of bopp sealing tape/fiberglass tape, popular in Euro-US development market.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
最大放料直径	800mm	Max unwinding diameter	800mm
最小分切宽度	12mm	Min slitting width	12mm
最大收卷直径	(3" 轴) 4 轴交换 350mm	Max rewinding diameter	(3" shaft) 4 shafts exchange: 350mm
机械速度	0-200M/min	Machine speed	0-200M/min
刀具	0.2 × 22 × 60mm	Razor	0.2 × 22 × 60mm
整机功率	5HP	Main motor	5HP
机器尺寸 (1.3m)	2700 × 1700 × 1550mm	Machine dimensions (1.3m)	2700 × 1700 × 1550mm
净重量	约 2000KG	Net weight	About 2000KG

## GD-210 BOPP 分条机

GD-210 BOPP tape slitting machine



### 用途 Purpose:

适用于 BOPP 封箱胶粘带 / 文具胶带 / 美纹纸胶带等的分条

Apply to slitting bopp sealing tape / stationery tape / masking tape etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
最大放料直径	800mm	Max unwinding diameter	800mm
最小分切宽度	12mm	Min slitting width	12mm
最大收卷直径	(3" 轴) 4 轴交换 150mm 2 轴交换 320mm	Max rewinding diameter	(3" shaft) 4 shafts exchange: 150mm, 2 shafts exchange: 320mm
机械速度	0-180M/min	Machine speed	0-180M/min
刀具	0.2 × 22 × 60mm	Razor	0.2 × 22 × 60mm
整机功率	5HP	Main motor	5HP
机器尺寸 (1.3m)	2600 × 1400 × 1400mm	Machine dimensions (1.3m)	2600 × 1400 × 1400mm
净重量	约 1600KG	Net weight	About 1600KG





# GD-215 医用胶带分条机

GD-215 Medical tape slitting machine



### 用途 Purpose:

适用于齿形 / 直边型各种医用胶带的分条

Apply to slitting all kinds of adhesive medical tape with/without sawtooth

主要技术参数		Main technical parameters	
机器宽度	1.1M	Machine width	1.1M
最大放料直径	800mm	Max unwinding diameter	800mm
最小分切宽度	12mm	Min slitting width	12mm
最大收卷直径	(1" 轴)4 轴交换 75mm (3" 轴)4 轴交换 150mm (3" 轴)2 轴交换 320mm	Max rewinding diameter	(1" shaft) 4 shafts exchange: 75mm, (3" shaft)4 shafts exchange: 150mm (3" shaft)2 shafts exchange: 320mm
机械速度	0-130M/min	Machine speed	0-130M/min
刀具	0.2×22×60mm 气刀: 台湾品牌	Razor	0.2×22×60mm Air blade: Taiwan brand
整机功率	5HP	Main motor	5HP
机器尺寸 (1100mm)	2450×1250×1450mm	Machine dimensions (1100mm)	2450×1250×1450mm
净重量	约 1100KG	Net weight	About 1100KG

# GD-101 穿管机

GD-101 paper core loader

### 用途 Purpose:

适用于胶带成品之自动卸取及管芯自动装置  
Apply to loading and unloading paper core.



主要技术参数		Main technical parameters		
规格	Specifications	1M	1.3M	1.6M
作业宽度	Working width	1000MM	1300MM	1600MM
纸管内径	Diameter of paper tube	25.4-76.2MM	25.4-76.2MM	25.4-76.2MM
使用气压	Adopted air pressure	5KG/CM <sup>2</sup>	5KG/CM <sup>2</sup>	5KG/CM <sup>2</sup>

# GD-102 切管机

GD-102 paper core cutting machine

### 用途 Purpose:

适用于纸管切割等  
Apply to cutting paper core



主要技术参数		Main technical parameters	
最大分切宽度	Maximum cutting width	600mm	
最小分切宽度	Minimum cutting width	12mm	
纸管内径	Paper core diameter	76.2mm	
适用纸管厚度	Paper core thickness	3-5mm	
马达	Motor	2HP	
使用气压	Adopted air pressure	5KG/CM <sup>2</sup>	

# GD-103 小复卷机

GD-103 Small rewinding machine

### 用途 Purpose:

适用于 PVC/OPP/PE/ 皱纹纸、双面胶带、保护膜等卷材的复卷加工  
Apply to rewinding PVC/OPP/PE/masking tape/double sided tape/protective film material.



主要技术参数		Main technical parameters	
最大卷取直径	Maximum rewinding diameter	300mm	
复卷宽度	Rewinding width	12-100mm	
纸管内径	Paper core diameter	25.4-76.2mm	
复卷速度	Rewinding speed	0-100m/min	

## GD-208 四轴全自动切管机

GD-208 Four shafts full automatic paper core cutting machine



### 用途 Purpose:

适用于切割胶带类 3 寸纸管，自动装管卸管，成品管及边料自动分类

Apply to cutting adhesive tape 3" paper core. Automatic loading and unloading paper core, ready core and waste material classified

主要技术参数		Main technical parameters	
机器宽度	1.3M	Machine width	1.3M
管径范围	76mm × (2-6)T	Paper core diameter	76mm × (2-6)T
切管模式	双刀切割 4 轴交换	Cutting mode	Double cutter with 4 shafts e × change
刀具	Φ25.4 × Φ100 × 2mm	Blade	Φ25.4 × Φ100 × 2mm
整机功率	5.5KW	Main motor	5.5KW
机器尺寸 (1.3m)	4500 × 1650 × 1550mm	Machine dimensions (1.3m)	4500 × 1650 × 1550mm
净重量	约 2000KG	Net weight	About 2000KG

## GD-209 八轴全自动切管机

GD-209 Eight shafts automatic paper core cutting machine



### 用途 Purpose:

适用于切割胶带类 3 寸纸管，自动装管卸管，成品管及边料自动分类

Apply to cutting adhesive tape 3" paper core. Automatic loading and unloading paper core, ready core and waste material classified

主要技术参数		Main technical parameters	
机器宽度	1.3M	Machine width	1.3M
管径范围	76mm × (2-6)T	Paper core diameter	76mm × (2-6)T
切管模式	四刀切割 8 轴交换	Cutting mode	Four cutter with 8 shafts e × change
刀具	Φ25.4 × Φ100 × 2mm	Blade	Φ25.4 × Φ100 × 2mm
整机功率	5.5KW	Main motor	5.5KW
机器尺寸 (1.3m)	3000 × 1700 × 1600mm	Machine dimensions (1.3m)	3000 × 1700 × 1600mm
净重量	约 2200KG	Net weight	About 2200KG



# GD-801 全自动复卷机

GD-801 Fully automatic tape rewinding machine



### 用途 Purpose:

适用于各种工业用 / 电子用 / 包装用等粘性胶带的复卷

Apply to rewinding all kinds of adhesive tapes, industrial/electronic and packing materials.

- ① 自动装芯及卸料  
Automatic paper core feeding and unloading roll function
- ② 自动切断  
Automatic cutting tape system
- ③ 自动贴标  
Automatic label posting system
- ④ 收、放卷张力自动控制  
Automatic tension control system for unwinding and rewinding
- ⑤ 隔音罩 (选配)  
Noise cover (optional)

主要技术参数		Main technical parameters	
机器宽度	1.3M	Machine width	1.3M
管径范围	76mm × 1000mm	Paper core diameter	76mm × 1000mm
最大剥离直径	管径 76x600mm	Max peeling diameter	Core diameter 76mm, diameter 600mm
最大成品复卷直径	120mm	Max rewinding tape diameter	120mm
复卷速度	260m/min	Max rewinding speed	260m/min
机器尺寸 (1.3m)	4450 × 3300 × 1500mm	Machine dimensions (1.3m)	4450 × 3300 × 1500mm
净重量	约 2500KG	Net weight	About 2500KG

# GD-802 双轴复卷机

GD-802 Double shafts rewinding machine



### 用途 Purpose:

适用于各种工业用 / 电子用 / 包装用等粘性胶带的复卷

Apply to rewinding all kinds of adhesive tapes, industrial/electronic and packing materials.

- ① 配有全封闭式隔音罩, 降低噪音分贝  
Equipped with fully covered noise cover to lower down noise decibel.
- ② 不停机自动贴标, 省时省力  
Machine non-stop automatic label posting device, labour cost saving
- ③ 尾料自动切断抚平, 胶带封头整齐  
Tape ending automatic cutting and smoothing, very smooth for tape beginning.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
复卷宽度范围	960-1580mm	Rewinding width	960-1580mm
最大放卷直径	800mm	Max unwinding diameter	800mm
最大收卷直径	250mm	Max rewinding diameter	250mm
最快复卷速度	260M/min	Max rewinding speed	260M/min
纸管内径	Φ38、42、76.2mm	Paper tube ID	Φ38、42、76.2mm
主机马达	5HP × 50HZ	Main motor	5HP × 50HZ
使用气压	6bar	Adopted air pressure	6bar
机器尺寸 (1.3m)	3000 × 2270 × 1880mm	Machine dimensions (1.3m)	3000 × 2270 × 1880mm
净重量	约 2200KG	Net weight	About 2200KG



## GD-803 双轴复卷机

GD-803 Double shafts rewinding Machine



### 用途 Purpose:

适用于各种工业用 / 电子用 / 包装用等粘性胶带的复卷

Apply to rewinding all kinds of adhesive tapes, industrial/electronic and packing materials.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
复卷宽度范围	960-1580mm	Rewinding width	960-1580mm
最大放卷直径	600mm	Max unwinding diameter	600mm
最大收卷直径	300mm	Max rewinding diameter	300mm
最快复卷速度	120M/min	Max rewinding speed	120M/min
纸管内径	Φ 38、42、76.2mm	Paper tube ID	Φ 38、42、76.2mm
主机马达	5HP×50HZ	Main motor	5HP×50HZ
使用气压	6bar	Adopted air pressure	6bar

## GD-806 单轴复卷机

GD-806 Single shaft rewinding Machine



### 用途 Purpose:

适用于各种工业用 / 电子用 / 包装用等粘性胶带的复卷


Apply to rewinding all kinds of adhesive tapes, industrial/electronic, and packing materials.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
复卷宽度范围	960-1580mm	Rewinding width	960-1580mm
最大放卷直径	800mm	Max unwinding diameter	800mm
最大收卷直径	260mm	Max rewinding diameter	260mm
最快复卷速度	130M/min	Max rewinding speed	130M/min
纸管内径	Φ 32、38、42、76.2mm	Paper tube ID	Φ 32、38、42、76.2mm
主机马达	5HP×50HZ	Main motor	5HP×50HZ
使用气压	6bar	Adopted air pressure	6bar
机器尺寸 (1.3m)	2200×1250×1500mm	Machine dimensions (1.3m)	2200×1250×1500mm
净重量	约 800KG	Net weight	About 800KG



## GD-808 无轴复卷机

GD-808 Medical tape rewinding Machine



### 用途 Purpose:

适用于各种医用胶带的复卷

Apply to rewinding medical tape jumbo rolls into required length .

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M	Machine width	1.0M 1.3M
复卷宽度范围	960-1200mm	Rewinding width	960-1200mm
最大放卷直径	800mm	Max unwinding diameter	800mm
最大收卷直径	25.4-120mm	Max rewinding diameter	25.4-120mm
最快复卷速度	130M/min	Max rewinding speed	130M/min
纸管内径	Φ 25.4、 38mm	Paper tube ID	Φ 25.4、 38mm
主机马达	5HP×50HZ	Main motor	5HP×50HZ
使用气压	6bar	Adopted air pressure	6bar
机器尺寸 (1.3m)	2400×1250×1350mm	Machine dimensions (1.3m)	2400×1250×1350mm
净重量	约 900KG	Net weight	About 900KG

## GD-710 十轴切卷机

GD-710 Ten shafts tape cutting Machine



### 用途 Purpose:

适用于 BOPP/PVC/PE/ 美纹纸 / 进口高档双面胶带 / 导电泡棉胶 / 布基 / 医用胶带 / 工业胶带 / 保护膜等分切。

Apply for slitting BOPP/PVC/PE/masking paper/imported high-grade double-sided tape/kraft paper tape/foam tape/duct tape/medical tape/industrial adhesive tape/protective film etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
切割精度	±0.1mm	Cutting accuracy	±0.1mm
最大切卷直径	120mm	Max cutting diameter	120mm
最小切卷宽度	3mm	Min cutting width	3mm
圆刀直径	Φ 160mm	Circular knife diameter	Φ 160mm
使用管径	Φ 25、 38、 76.2mm	Using paper core diameter	Φ 25、 38、 76.2mm
机器尺寸 (1.3m)	3150×1950×1700mm	Machine dimensions (1.3m)	3150×1950×1700mm
重量	5000kg	Machine weight	About 5000kg



## GD-706 六轴切卷机

GD-706 Six shafts tape cutting Machine



### 用途 Purpose:

适用于 BOPP/PVC/PE/ 美纹纸 / 进口高档双面胶带 / 导电泡棉胶 / 布基 / 工业胶带 / 保护膜等分切。

Apply for slitting BOPP/PVC/PE/masking paper/imported high-grade double-sided tape/kraft paper tape/foam tape/duct tape/industrial adhesive tape/protective film etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
切割精度	±0.1mm	Cutting accuracy	±0.1mm
最大切卷直径	120mm	Max cutting diameter	120mm
最小切卷宽度	3mm	Min cutting width	3mm
圆刀直径	Φ160mm	Circular knife diameter	Φ160mm
使用管径	Φ25.4、32、38、76.2mm	Using paper core diameter	Φ25.4、32、38、76.2mm
机器尺寸 (1.3m)	3100×1880×1880mm	Machine dimensions (1.3m)	3100×1880×1880mm
净重量	约 1800KG	Net weight	About 1800KG

## GD-709 四轴切卷机

GD-709 Four shafts tape cutting Machine



### 用途 Purpose:

适用于 BOPP/PVC/PE/ 美纹纸 / 进口高档双面胶带 / 牛皮纸胶带 / 导电泡棉胶 / 布基 / 工业胶带 / 保护膜等之分切。

Apply for slitting BOPP/PVC/PE/masking paper/imported high-grade double-sided tape/kraft paper tape/foam tape/duct tape/industrial adhesive tape/protective film etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
切割精度	±0.1mm	Cutting accuracy	±0.1mm
最大切卷直径	210mm	Max cutting diameter	210mm
最小切卷宽度	3mm	Min cutting width	3mm
圆刀直径	Φ180-250mm	Circular knife diameter	Φ180-250mm
使用管径	Φ25.4、32、38、76.2mm	Using paper core diameter	Φ25.4、32、38、76.2mm
机器尺寸 (1.3m)	3100×1810×1800mm	Machine dimensions (1.3m)	3100×1810×1800mm
净重量	约 1500KG	Net weight	About 1500KG



## GD-708 三轴切卷机

GD-708 Three shafts tape cutting Machine



### 用途 Purpose:

适用于 BOPP/PVC/PE/ 美纹纸 / 进口高档双面胶带 / 牛皮纸胶带 / 导电泡棉胶 / 布基 / 工业胶带 / 保护膜等之分切。

Apply for slitting BOPP/PVC/PE/masking paper/imported high-grade double-sided tape/kraft paper tape/foam tape/duct tape/industrial adhesive tape/protective film etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
切割精度	±0.1mm	Cutting accuracy	±0.1mm
最大切卷直径	120-150mm	Max cutting diameter	120-150mm
最小切卷宽度	3mm	Min cutting width	3mm
圆刀直径	Φ160-180mm	Circular knife diameter	Φ160-180mm
使用管径	Φ25.4、38、76.2mm	Using paper core diameter	Φ25.4、38、76.2mm
机器尺寸 (1.3m)	2900×1400×1500mm	Machine dimensions (1.3m)	2900×1400×1500mm
净重量	约 1200KG	Net weight	About 1200KG

## GD-703 双轴切卷机

GD-703 Double shafts tape cutting Machine



### 用途 Purpose:

适用于 BOPP/PVC/PE/ 美纹纸 / 进口高档双面胶带 / 牛皮纸胶带 / 导电泡棉胶 / 布基 / 工业胶带 / 保护膜等之分切。

Apply for slitting BOPP/PVC/PE/masking paper/imported high-grade double-sided tape/kraft paper tape/foam tape/duct tape/industrial adhesive tape/protective film etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
切割精度	±0.1mm	Cutting accuracy	±0.1mm
最大切卷直径	210mm	Max cutting diameter	210mm
最小切卷宽度	3mm	Min cutting width	3mm
圆刀直径	Φ200-250mm	Circular knife diameter	Φ200-250mm
使用管径	Φ25.4、38、76.2mm	Using paper core diameter	Φ25.4、38、76.2mm
机器尺寸 (1.3m)	2900×1400×1500mm	Machine dimensions (1.3m)	2900×1400×1500mm
净重量	约 1100KG	Net weight	About 1100KG

## GD-701 单轴切卷机

GD-701 Single shaft tape cutting Machine



### 用途 Purpose:

适用于 BOPP/PVC/PE/ 美纹纸 / 进口高档双面胶带 / 牛皮纸胶带 / 导电泡棉胶 / 布基 / 工业胶带 / 保护膜等之分切。

Apply for slitting BOPP/PVC/PE/masking paper/imported high-grade double-sided tape/kraft paper tape/foam tape/duct tape/industrial adhesive tape/protective film etc.

主要技术参数		Main technical parameters	
机器宽度	1.0M 1.3M 1.6M	Machine width	1.0M 1.3M 1.6M
切割精度	±0.1mm	Cutting accuracy	±0.1mm
最大切卷直径	280mm	Max cutting diameter	280mm
最小切卷宽度	3mm	Min cutting width	3mm
圆刀直径	Φ250-350mm	Circular knife diameter	Φ250-350mm
使用管径	Φ76.2mm	Using paper core diameter	Φ76.2mm
机器尺寸(1.3m)	3000×1600×1500mm	Machine dimensions (1.3m)	3000×1600×1500mm
净重量	约 1200KG	Net weight	About 1200KG

## GD-901 半自动柱状胶带包装机

GD-901 Semi-automatic tape package machine



### 用途 Purpose:

适用于 bopp 包装胶带、美纹纸胶带、双面胶带、玻璃纸胶带等的单个或筒式包装, 单面或双面纸卡包装。

Apply to opp packing tape, masking tape, double side tape, fiberglass tape etc single roll or tower package, single or double side paper card package.

机器参数		Machine parameters	
机器尺寸	865mm(L)×970mm(W) ×1610mm(H)	Machine size	865mm(L)×970mm(W) ×1610mm(H)
封刀尺寸	450mm(W)	Sealing knife size	450mm(W)
包装范围	80-330mm(L)×90-200mm(W)	Range of packing tape	80-330mm(L)×90-200mm(W)
电压	220v/ 1 phase 2.5kw	Voltage and power	220v/ 1 phase 2.5kw



## GD-902 全自动柱状包装机

GD-902 Full automatic tape package machine



### 用途 Purpose:

适用于 opp 包装胶带、美纹纸胶带、双面胶带、玻璃纤维胶带等 6 卷筒包。

Apply to opp packing tape, masking tape, double side tape, fiberglass tape etc 6 rolls tower package.

### 特点 Feature:

- ① 触摸屏控制，操作方便  
Touch screen control, easy to operate
- ② 本机性能稳定，操作方便。经过简单的培训，就可以熟练操作  
The machine has stable performance and easy operation. After simple training, you can be proficient in operation
- ③ 封口线坚固美观  
The sealing line is strong and beautiful
- ④ 包装速度可达 22-25 包 / 分钟  
Packing speed can be 22-25 packages/min.

## GD-903 BOPP 平包包装机

GD-903 BOPP flat package machine



### 特点 Feature:

- ① 封刀采用整体设计，不易变形，封线牢固。  
The sealing knife is designed as a whole, it is not easy to deform, and the sealing line is strong.
- ② 严格的设计、加工、装配，以及品牌电器的质量和稳定性，使整机性能稳定，在长时间的工作中故障率极低，大大提高了工作效率。  
Strict design, processing, assembly, and the quality and stability of the brand appliances, so that the whole machine performance is stable, the failure rate is very low in a long period of work, greatly improving the efficiency of work.
- ③ 操作简单，更换不同规格的产品非常方便。  
The operation is simple, and it is very convenient to replace the products with different specifications.



## GD-905 PVC 胶带包装机

GD-905 PVC tape package machine



整机采用链条式循环送料—套膜—贴标—热收缩一体化自动包装机，包装范围 50--90mm，包装速度 50—80 卷 / 分。

The whole machine adopts chain type circular feeding - sleeve film - label setting-thermal shrinkage integrated automatic packaging machine, the packaging range is 50-90mm, the packaging speed is 50-80 pcs/min.

① 自动送料转台，智能检测，自动送料

Automatic feeding rotary table, with intelligent detection and automatic feeding.

② 自动套膜系统，由伺服送膜 - 切膜 - 放膜组成

Automatic sleeve film system, composed of servo film feeding- cutting film- brushing down.

③ 自动套筒校正辅助

Automatic sleeve correction auxiliary.

④ 自动贴标装置，由吸 - 检测 - 贴标组成

Automatic labeling device, which is composed of suction- detection- labeling.

⑤ 自动加热热收缩装置

Automatic heating thermal contraction device

## GD-910 全自动拉伸膜复卷机

GD-910 Full automatic stretch film rewinding machine



主要技术参数		Main technical parameters	
母卷管芯内径	76mm	The inner diameter of jumbo roll paper core	76mm
母卷最大外径	500mm	The max outside diameter of jumbo roll	500mm
母卷幅宽	450-500mm	The width of jumbo roll	450-500mm
成品纸管内径	38/50/76mm	The paper core diameter of finished roll	38/50/76mm or as client required
最大收卷直径	160mm	Max rewinding diameter	160mm
功率	5KW	Power	5KW
重量	1000KG	Weight	1000KG



## GD-1600B 全自动切纸机

GD-1600B Automatic paper slitting machine



### 特点 Feature:

- ① 采用液压无轴纸架上纸，上料方便、快捷、省力。  
Adopt hydraulic shaftless paper rack, convenient, fast and labor-saving feeding.
- ② 自动纠偏功能使对边更智能。  
Automatic deviation correction function makes the side more intelligent.
- ③ 液压卸料，安全可靠，双气刹车，操作方便。  
Hydraulic discharge, safe and reliable, double pneumatic brake easy to operate.

### 用途 Purpose:

适用于各种牛皮纸、纱管纸、茶板纸、草板纸、印花纸以及铜版纸等宽幅原纸的分切和复卷。  
Suitable for cutting and rewinding all kinds of kraft paper, yarn tube paper, tea board paper, straw board paper, printing paper and coated paper.

主要技术参数 Main technical parameters

原纸宽度 Width of base paper	1600mm
原纸直径 Base paper diameter	1200mm
收卷直径 Rewinding diameter	1200mm
主功率 Main power	11KW

## GD-100 二机头数控纸管机

GD-100 Two heads CNC paper tube making machine



### 用途 Purpose:

主要用于胶带用管、印刷用管、皮革用管、布匹用管等多种小内径纸管的生产。  
It is mainly used in production of tape, printing, leather, cloth and other small diameter paper tubes.

主要技术参数 Main technical parameters

卷管纸张层数 Number of paper layers	2-9
纸管内径 paper tube diameter	20-80mm
纸管厚度 The thickness of the tube	1-5mm
主机功率 Main power	7.5KW

## GD-200 四机头数控纸管机

GD-200 Four heads CNC paper tube making machine



### 用途 Purpose:

主要用于薄膜用管、胶带用管、保鲜膜用管、印刷用管、皮革用管、物流包装用管、造纸用管、化纤用管以及卫生纸用管等多种工业纸管的生产。

It is mainly used in the production of film tubes, adhesive tape tubes, plastic film tubes, printing tubes, leather tubes, logistics packaging tubes, paper making tubes, chemical fiber paper tubes and toilet paper tubes and other industrial paper tubes.

### 特点 Feature:

- ① 主机采用电动调节角度，操作便捷。  
The host adopts electric adjustment angle, convenient operation.
- ② 切台配伺服同步圆刀切割，使纸管缝隙均匀，切割端面平整。  
The cutting table is equipped with servo synchronous round blade cutting, so that the paper tube gap is uniform and the cutting end face is smooth.
- ③ 模具为法兰、子母扣固定，更换方便。  
The mold is fixed with flange and mother-child buckle, which is easy to change.

#### 主要技术参数 Main technical parameters

卷管纸张层数 Number of paper layers	3-25
纸管内径 paper tube diameter	30-200mm
纸管厚度 The thickness of the tube	2-15mm
主机功率 Main power	22KW

## GD-201 单轴数控精切机

GD-201 Single shaft CNC paper tube cutting machine



### 用途 Purpose:

适用于精切内径 76-152mm, 厚度 3-15mm, 长度 2700mm 的纸管。(可根据实际需求定做)

Suitable for cutting paper tubes with inner diameter of 76-152mm, thickness of 3-15mm and length of 2700mm. (can be customized according to actual demand)


#### 主要技术参数 Main technical parameters

纸管内径 paper tube diameter	76-152mm
纸管厚度 The thickness of the tube	3-15mm
纸管长度 The length of paper tube	2700mm or customized
主机功率 Main power	3KW



# GD-601 单卷 A4 纸分切机

GD-601 Single roll A4 paper cutting machine



主要技术参数 Main technical parameters

原料 Raw material	A4 paper jumbo roll
有效幅宽 Valid width	1000mm
放卷外径 Unwinding diameter	1000mm
机器速度 Machine speed	10-80m/min (depend on actual material)
切割精度 Precision	±0.2mm
切割尺寸 Cutting size	A3、A4、300×600mm
产能 Production capacity	A4 paper 1 reams/min

# GD-602 双卷 A4 纸分切机

GD-602 Double roll A4 paper cutting machine



主要技术参数 Main technical parameters

原料 Raw material	A4 paper jumbo roll
有效幅宽 Valid width	1000mm
放卷外径 Unwinding diameter	1000mm
机器速度 Machine speed	10-80m/min (depend on actual material)
切割精度 Precision	±0.2mm
切割尺寸 Cutting size	A3、A4、300×600mm
产能 Production capacity	A4 paper 2 reams/min



## GD-810 多功能分切复卷机

GD-810 Multifunctional slitting rewinding machine



### 用途 Purpose:

适用于 PET、OPP、PE、等胶带之分条  
apply to slitting PET tape, OPP tape, PE tape etc.

主要技术参数		Main technical parameters	
机器滚轮宽度	1400mm	Machine roller width	1400mm
最大放料直径	1000mm	Max unwinding diameter	1000mm
最大卷取直径	600mm	Max rewinding diameter	600mm
分条宽度	500-1300mm	Slitting width	500-1300mm
纸管内径	3"	Paper core diameter	3"
机械最大速度	150M/min	Max machine speed	150M/min
电源供应	380V 50HZ 3 段	Power supply	380V 50HZ 3phase
适用空压源	50KG	Air pressure source	50KG
机器尺寸 (1.3m)	3700×2250×1880mm	Machine dimensions (1.3m)	3700×2250×1880mm
净重量	约 2300KG	Net weight	About 2300KG

## GD-830 无粘性分切机

GD-830 Non adhesive paper/film slitting rewinding machine



### 用途 Purpose:

适用于无纺布纸、纸卷、薄膜等的分切、复卷。  
It fits for non woven paper,paper roll, film etc slitting and rewinding.

主要技术参数 Main technical parameters	
有效分切宽 Valid slitting width	30-1250mm
分切厚度 Slitting thickness	根据客户材料 As clients sample
最大放卷外径 Max unwinding diameter	800mm
最大收卷外径 Max rewinding diameter	600mm
机器速度 Mechanical speed	200m/min
分切速度 Slitting speed	180m/min
放卷轴 Unwinding shaft	1 piece
放卷磁粉制动器 Unwinding magnetic brake	100n.m 1 pc
收卷磁粉制动器 Rewinding magnetic brake	100n.m 1 pc
主机 Main motor	5.5kw
边料风机 Blower motor for edge	0.75kw
总功率 Total power	7kw
机器重量 Machine weight	1500kg
机器尺寸 Machine size	2400×1900×1500 mm